

SPARKPLUGS®

SPARKPLUGS PLUGSTATION®, UNCORDED AND PACKAGED

NRR
33
dB



6605 SparkPlugs
Uncorded Packaged
PlugStation
250 Pairs

MOLDEX®
Ideas that wear well.™

With the PlugStation, you can afford to put earplugs in all the places they're needed. Hang one near workstations, another outside the restrooms and another in the break room. Easy, convenient access to hearing protection will help ensure that the earplugs are being used and will save time. Plus, each PlugStation comes with a free bracket.

INCREASED COMPLIANCE AND COST SAVINGS

Convenient, quick access and ease of use lead to higher compliance. Plus, because workers take one pair at a time there is no wasteful grabbing of multiple pairs or pocket fillups that end up getting trashed without being used. Less waste means more cost savings.

HYGIENIC UNTIL TIME OF USE

SparkPlugs PlugStation, Uncorded and Packaged dispense a pair of earplugs individually packaged to stay hygienic until they are actually used. Less chance for exposure to unhealthy elements such as bacteria and dirt.

SOFT COMFORTABLE FIT

SparkPlugs earplugs are made of extra-soft, extra-light foam. Their tapered shape fits easily in the ear canal, and seals gently and snugly without uncomfortable pressure. They're so comfortable you'll forget you're wearing earplugs.

INDEPENDENTLY TESTED: NRR 33

SparkPlugs earplugs offer a high NRR 33, making them suitable for most noisy environments. So, while they look like fun, they provide serious protection.

FEATURES

- Gives workers easy access to hearing protection.
- High visibility to increase awareness for your hearing conservation program.
- Earplugs stay hygienic until time of use.
- Extra-soft, low-pressure non-irritating foam for comfort and fit.
- Tapered shape for easy insertion and removal.
- SparkPlugs are independently tested for protection you can count on.
- 100% PVC-Free for a greener alternative.





SPARKPLUGS PLUGSTATION[®] UNCORDED AND PACKAGED

PART # / DESCRIPTION	DISPLAY	CASE
6605 SparkPlugs, Uncorded Packaged	250 Pairs per Dispenser	4 Dispensers per Case

WARNING TO USER

1. Use these laboratory derived attenuation data for comparison purposes only. The amount of protection afforded in field use often is significantly lower depending upon how the protectors are fitted and worn.
2. Failure to follow all instructions could result in hearing loss, serious injury or death.
3. Failure to obtain a proper fit will reduce effectiveness of hearing protectors and could result in hearing loss or injury.
4. Over protection can be dangerous. The wearer must be able to hear warning signals.
5. Wearers with hearing loss should exercise extreme caution.
6. It is the employer's responsibility to ensure that the type of hearing protector and its rating is appropriate for the user in their particular workplace.
7. Use caution when working around machinery or any other equipment to ensure neck cord does not become caught or entangled.
8. Earplugs must only be used as part of a hearing conservation program that complies with applicable local safety and health regulations.
9. If irritation, redness or discomfort occurs, discontinue use and consult a licensed health practitioner.

ATTENUATION DATA

Tested According to ANSI Specs S3.19-1974 Michael & Assoc., State College, PA.

Frequency (Hz)	125	250	500	1000	2000	3150	4000	6300	8000		
Mean Attenuation (dB)	42.3	43.7	46.6	40.9	38.6	44.7	46.9	49.3	48.3	NRR 33	CSA AL
Standard Deviation (dB)	5.0	6.0	5.8	4.2	2.8	3.2	3.3	4.2	3.6		

MOLDEX TECHNICAL ASSISTANCE

Moldex provides all of the technical assistance required to set up a hearing protection program. For more information call +1 (800) 421-0668 or +1 (310) 837-6500 ext. 512/550 or E-mail: tech@moldex.com or visit www.moldex.com.

Keep earplugs away from infants and small children as they may get caught in the windpipe and create a choking hazard.



DISTRIBUTED BY:



MOLDEX-METRIC, INC.
10111 Jefferson Blvd.
Culver City, CA 90232
TEL: +1 (800) 421-0668 or
+1 (310) 837-6500
FAX: +1 (310) 837-9563
E-mail: sales@moldex.com
www.moldex.com

CANADIAN CUSTOMER SERVICE
Tel: +1 (800) 421-0668, Ext. 550
Fax: +1 (310) 837-9563



Printed on Recycled Paper